## **Clerkship Procedures/Tasks**

☐Throat swab

## **Anesthesia** Adjuncts to narcotics Airway Exam ASA classification Bag Mask Ventilation Chronic pain day (complete) Intubation IV start LMA Pharmacology of propofol Pharmacology of succinylcholine Physiology, risk factors, treatment of post-operative nausea/vomiting Pre-op Assessment Principals of PCA indications and dosing Rapid Sequence Induction **Emergency Medicine** 12 LEAD ECG Interpretation Blood gas interpretation Casting fractures Lumbar puncture N/G or O/G tube Suture lacerations Urine catheter/suprapubic aspir.. **Family Medicine** ☐Blood glucose/glucometer **Must Do:** Cryotherapy Intramuscular injections **Must Do:** □ Joint injection (can be aspiration or injection) Papanicolaou smear o Must Do: Skin biopsy o includes sterile technique, admin of LA & suturing Syringe auditory canal

| 0  | Must Do:  |
|--|---|
| Urinalysis   |   |
| 0  | Must Do:  |
| Vagir  | nal smears/swab   |
| 0  | Must Do:  |
| Wound swab   |   |
| 0  | Must Do:  |
| nterna   | l Medicine  |
| 12 LE  | EAD ECG Interpretation  |
| 0  | Must Do:  |
|  | rial blood gas collection<br>rial blood gas interpretation  |
| 0  | Must Do:  |
| Central line insertion CXR interpretation  |   |
| 0  | Must Do:  |
| Insertion of IV cannulae Knee aspiration Lumbar puncture Paracentesis Thoracentesis Venipuncture |   |
| bstet  | rics/Gynecology   |
|  | cial rupture of membranes ical dilation assessment  |
| 0  | Must Do:  |
| Dilat<br>Endo  | rean Delivery<br>ation and Curettage (D&C)<br>metrial Biopsy or IUCD insertion<br>otomy / Vaginal tear repair |

Must Do:

| Hysterectomy  |
|---|
| Hysteroscopy  Laparoscopy   |
| Leopold's maneuvers   |
| ○ Must Do:  |
| O Widst Do.   |
| Obstetric Ultrasound  |
| Operative Vaginal Delivery - forceps/vaccum   |
| Pelvic Examination +/- Pap Smear  |
| o Must Do:  |
| Spontaneous Vaginal Delivery  |
| o Must Do:  |
| Pediatrics  |
| Plot Growth Chart   |
| Rx - Write Prescription   |
| Psychiatry  |
| Assess Suicidal Risk in ER  |
| Attend & Discuss ECT  |
| Cognitive Assessment (e.g. MOCA/MMSE)   |
| Discuss Psychotherapy   |
| Surgery   |
|   |
| Assess a surgical drain   |
| o Includes  |
| <ul> <li>Observe/perform insertion/removal and assess function of a nasogastric (NG</li> </ul>                    |
| <ul><li>tube</li><li>Observe insertion of a surgical drain (such as a Jackson-Pratt (JP) drain) in the</li></ul>  |
| OR  |
| <ul> <li>Assess function and output and/or observe removal of a surgical drain in clini<br/>or on ward</li> </ul> |
| Assess a urinary catheter   |
| o Includes: Insertion / removal / assessment of function of a Foley catheter                                      |
| o May include:  |
| <ul> <li>Observe supra-pubic catheter insertion</li> </ul>  |
| Examine a surgical wound (clinic / ward)  |
| o Includes:   |
| E. 11   |

- Sterile precautions
- Assess appearance of a surgical wound

May also include: Remove staples Remove and apply dressings Observe or participate in packing of an open wound Observe the three elements of Surgical Safety Checklist in the OR Includes: Review of procedure/consent, patient information, medications and concerns prior to anesthesia Time out after anesthesia Debriefing at end of procedure Observe/practice universal precautions o Safe handling of bodily fluids at all times in patient care Perform basic suturing (OR / minor surgery) Includes: Observe or perform preparation of sterile field for a minor procedure Inject local anesthetic into a surgical wound

Demonstrate safe handling of sharps, and disposal of sharps

- Scrub and gown in OR
  - o Observe sterile technique, includes:
    - Correctly wear head, eye and mask protection
    - Scrub hands/arms for the OR
    - Don gown and gloves, remove gown and gloves correctly