

Pr Enstilar[®]


calcipotriol / betamethasone dipropionate

Use only
on skin
affected
by psoriasis

When Using Enstilar[®] on the Scalp

Application

- After combing your hair to remove any loose scales, **spray Enstilar[®] into your palm** and then scoop the foam onto your fingers and gently apply to the affected areas
- Minimize applying into the hair to make it easier to wash it out



Removal

- Apply mild, nonmedicated shampoo to dry hair and massage into the **dry hair** and scalp
- Leave on the scalp for a few minutes before washing (rinse thoroughly)
- Repeat normal shampooing if necessary



Enstilar[®] should not be used on the face, axillae, flexures, groin or genitals. Enstilar[®] must be used correctly to avoid accidental transfer or application to these regions or to the mouth, mucous membranes, or eyes. Wash or rinse off foam if accidentally applied to eyes, mouth, genitals, or breasts (if you are breast feeding). Use of Enstilar[®] may cause red and swollen hair follicles and changes in hair growth. Talk to your healthcare professional if you experience troublesome symptoms or side effects.

Do not shower or bathe immediately after applying.
If you accidentally get foam on normal skin, wipe it off right away.

Instructions continued on reverse

F.P.O.
1" GLUE AREA SAFETY

How to Use Enstilar®

1

Shake for a few seconds before use

- Make sure you're in a well-ventilated area and avoid breathing it in

2

Hold the can at least 3 cm from your skin

- Only use on affected areas

3

Spray only on affected areas and rub gently into skin

- Hold can in any orientation except horizontally (sideways) when spraying
- Application may feel cool when sprayed on the skin from the propellants evaporating
- See scalp-specific instructions on reverse

4

Leave treated areas uncovered until fully absorbed

- Replace the cap to prevent accidental spraying
- Wash your hands well to avoid spreading the foam to other parts of your body by accident (especially the face, mouth and eyes)

Spraying Enstilar® for 2 seconds covers an area of skin about the size of an adult palm.

ENS-116-20E

© 2021 LEO Pharma Inc. All rights reserved.

© Registered trademark of LEO Pharma A/S used under license and distributed by LEO Pharma Inc.



Pr **Enstilar®**
calcipotriol / betamethasone dipropionate