Inpatient/PICU Team Instructions



	allocation on IV hang tags.
	 Documents and treatment assignment are colour coded
	Orange = 0.9% Normal Saline (NS)
	 Green = Balanced Fluid (BF: Lactated Ringers or PlasmaLyte)
	 Keep coloured IV hang tag with the patient
	Hang a coloured door sign on door of patient room (confirm the fluid assignment: NS or BF)
	Order fluids in Connect Care for ALL boluses and maintenance fluid required
	through 23:59 on the calendar day following randomization:
	 Please order the fluid TYPE specified by randomization (NS or BF) Note: Hypotopic fluids (i.e. 0.45NS) are not considered appropriate for belief
	 <u>Note:</u> Hypotonic fluids (i.e. 0.45NS) are not considered appropriate for bolus or maintenance fluids in septic children and should be avoided
	When and how much fluid should be decided based on clinical need
	by the clinical care team
	 Obtain fluids from clinical inventory
	Additives (i.e. Dextrose, KCI) can be used as needed
	 Document <u>ALL IV and IO fluid given</u> to the patient during this time
П	During patient transfer of care/handover verbally inform the receiving team that the child
_	is participating in the PRoMPT BOLUS study
	 Inpatient/PICU teams should continue to order the allocated study fluid TYPE (NS or BF)
	through 23:59 on the calendar day following randomization
П	Any questions, please contact
_	■ Dr. April Kam at <u>kama@mcmaster.ca</u> or Redjana Carciumaru <u>carciur@mcmaster.ca</u>
	Study team pager: #4545 (Monitored Sunday-Friday 0900-2100)
_	
	More information (Eligibility, Summary, Contact Info, Stopping Rules)
	available on study website: use the QR Code

☐ Review admitted patients to confirm if they are a PRoMPT BOLUS participant. Identify fluid